Evy

220-240V AC

M10277.000.0000





Data sheet

CODE	M10277.000.0000
SYSTEM POWER CONSUMPTION	max 48W
LIGHT SOURCE	LED retrofit / halogen
LIGHT SOURCE KIT	not included
COMPATIBLE SOURCES	LED retrofit bulb G9 (L max 60mm - Ø max 17,5mm) / max 48W G9
LIGHT DISTRIBUTION	diffused
POWER SUPPLY	220-240V AC
FREQUENCY	50/60Hz
WEIGHT	0,74 Kg
PROTECTION DEGREE	IP40
PACKING DIMENSIONS	0,0 x 0,0 x 0,0 cm









Multiple suspension lighting fixture for interiors, with direct and indirect light emission. Pickled sheet metal structure in white polyacrylic paint.


 $\hbox{ Diffuser in blown glass with crystal, steel, amber, bronze, to bacco or green balloton do} \\$ finish.

Turned pickled sheet metal closing disk in mat brass polyacrylic paint.

 $3m\ (118,1")\ long$ suspension and power cable in transparent PVC.

Provided without power canopy.

Technical drawing



Evy

Accessories / source

XM5/G9LED

LED lamp G9 4W 220-240V AC 3000K Ra>80 340lm, not dimmable.





Evy

Accessories / power supply

M7901/1	Canopy for power supply.	4,1
C E E E E		10,6
M7901/2	Canopy for power supply with 2 outputs.	4,1
C E EHI 🗵		10,6
M7901/3	Canopy for power supply with 3 outputs.	4,1
C E EHL X		10.6
M7902/1	Canopy for power supply.	41:-
C E E E E E		10.6
M7902/2	Canopy for power supply with 2 outputs.	4.11
C E EHI X		10.6
M7902/3	Canopy for power supply with 3 outputs.	4, :-
CE EHI X		10.6 4 1/6"

Evy

Accessories / power supply and fixing

XM8901-03	Canopy for power supply with 3 outputs.	C. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
C € EHI <u>×</u>		3, 7
		42 16 ⁵ /9"
XM8901-05	Canopy for power supply with 5 outputs.	7.7.5 8.5 6.7.1 Fig. 1987
C € [HI] <u>X</u>		
XM8901-06	Canopy for power supply with 6 outputs.	3.55 .55
C€ EHL 🗵		25.2
		42 16 %6*
XM8901-09	Canopy for power supply with 9 outputs.	1.1/2 B
C € EHI <u>×</u>		
		72.5 28 4/r
XM8901-15	Canopy for power supply with 15 outputs.	
CE EHI 🗵		4 45 17 494*
		72.5 28 49°
XM9001-03	Canopy for power supply with 3 outputs.	(%) (%) (%) (%) (%) (%) (%) (%) (%) (%)
C € [HI 🗵		39.5
XM9001-07	Canopy for power supply with 7 outputs.	3.9
		· · ·
C€ EHI <u>▼</u>		39.5
XM9001-12	Canopy for power supply with 12 outputs.	
CE FAI Z		70 77 77 77 77
XM9001-21	Canopy for power supply with 21 outputs.	\$ 25
C € EHI <u>×</u>		
)

Evy

Accessories / power supply and fixing

XM9201-01

C € EHI 🗵

Recessed canopy for electric cable suspensions. Suitable for 24V fixtures: remote driver 24V needed.



Evy

Accessories / fixing

M75D	Suspension and adjustment device for electric cable.	0	12/3"
			2.9
M800	Polycarbonate hook for suspension.		3,2
			2 1/2 1/2 1/2