### Emma

220-240V AC M09157.000.0200

#### Data sheet

M09157.000.0200
max 57W
LED retrofit / halogen
* included
LED retrofit bulb 8W E27 2700K Ra80 1050lm (no dimming) * / max 57W E27
2700K Ra>80
diffused
220-240V AC
50/60Hz
1050lm
1,47 Kg
IP20
SDCM <6
0,0 x 0,0 x 0,0 cm

# CEERE



black/green diffuser






Multiple suspension lighting fixture for interiors, with direct and indirect light emission. Rough aluminium structure.

Diffuser in blown glass with white, crystal, steel, amber, bronze, tobacco or green ribbing finish.

Turned pickled sheet metal closing disk in black or mat brass polyacrylic paint. 3,5m (137,8") long suspension and power cable in PVC with black fabric covering. Provided without power canopy, complete with polycarbonate hook.

#### **Technical drawing**



### Emma

Accessories / power supply

M7901/1	Canopy for power supply.	
C E E E E E E E E E E E E E E E E E E E		<b>a</b> 10,6 4 <sup>1/6</sup> *
M7901/2	Canopy for power supply with 2 outputs.	
C € EAL 🗶 📾		<b>0</b> 0,0 10,6 */6*
M7901/3	Canopy for power supply with 3 outputs.	
C E EHI 🗵 📾		<b>a</b> 10.6 4 1/6*
M7902/1	Canopy for power supply.	
C E EAL 🖄 📾		<b>a</b> 10,6 4 1/6°
M7902/2	Canopy for power supply with 2 outputs.	
C € EAL 🗶 📾		<b>a</b> 10,6 <b>a</b>
M7902/3	Canopy for power supply with 3 outputs.	
C € EAL 🗶 📾		<b>a a b b b c c c c c c c c c c</b>
M91/94/9702	Canopy for power supply up to 9 M091000.0200/M094000.0200/M097000.0200 models maximum.	4 <sup>1</sup>
C E EHI 🗵 🙉		21 8 2/r*

### Emma

#### Accessories / power supply and fixing

XM8901-03	Canopy for power supply with 3 outputs.	
CE ERE 🗵 🕾		· · · · · · · · · · · · · · · · · · ·
		<u>42</u> 16 <sup>5</sup> /9"
XM8901-05	Canopy for power supply with 5 outputs.	· · · · · · · · · · · · · · · · · · ·
CE ERE 🗵 🙉		76 30*
XM8901-06	Canopy for power supply with 6 outputs.	
CE ERE X @		· · · · ] ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
		42
		16 %/5"
XM8901-09	Canopy for power supply with 9 outputs.	8°,501
CE ERI 🗵 🐵		45 17 %*
		72.5
		28 4/7
XM8901-15	Canopy for power supply with 15 outputs.	
CE EAE 💆 💿		
		72,5 28 \/r
XM9001-03	Canopy for power supply with 3 outputs.	
CE EAE 🗵 🐵		·
		10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -
XM9001-07	Canopy for power supply with 7 outputs.	1 <sup>1</sup> 12 <sup>°</sup>
CEERI 🗵 🙉		
		39.5 15 4/7
XM9001-12	Canopy for power supply with 12 outputs.	
CE ERE X @		
		31 13 14
XM9001-21	Canopy for power supply with 21 outputs.	8 ž
CE [H] 🗵 💿		· · · · ·
		·

### Emma

#### Accessories / power supply and fixing

XM9201-01



Recessed canopy for electric cable suspensions. Suitable for 24V fixtures: remote driver 24V needed.



### Emma

Accessories / fixing

M75D	Suspension and adjustment device for electric cable.	4.2 1 <sup>2/3*</sup>
		2:9 1 <sup>1</sup> /7"
M800 CEEHI 🖉 📾	Polycarbonate hook for suspension.	3.2 1/4"
		2 4/5"