Evy

220-240V AC

M10273.000.0000





Data sheet

CODE	M10273.000.0000
SYSTEM POWER CONSUMPTION	max 48W
LIGHT SOURCE	LED retrofit / halogen
LIGHT SOURCE KIT	not included
COMPATIBLE SOURCES	LED retrofit bulb G9 (L max 60mm - Ø max 17,5mm) / max 48W G9
LIGHT DISTRIBUTION	diffused
POWER SUPPLY	220-240V AC
FREQUENCY	50/60Hz
WEIGHT	0,74 Kg
PROTECTION DEGREE	IP40
PACKING DIMENSIONS	0,0 x 0,0 x 0,0 cm









Multiple suspension lighting fixture for interiors, with direct and indirect light emission. Pickled sheet metal structure in white polyacrylic paint.


 $\hbox{ Diffuser in blown glass with crystal, steel, amber, bronze, to bacco or green balloton do} \\$ finish.

Turned pickled sheet metal closing disk in mat brass polyacrylic paint.

 $3m\ (118,1")\ long$ suspension and power cable in transparent PVC.

Provided without power canopy.

Technical drawing



Evy

Accessories / source

XM5/G9LED

LED lamp G9 4W 220-240V AC 3000K Ra>80 340lm, not dimmable.





Evy

Accessories / power supply

M7901/1	Canopy for power supply.	421
CE EHI X		6,01 8,0% 1,0%
M7901/2	Canopy for power supply with 2 outputs.	
CE EHI X		a 8,01 8,00 4
M7901/3	Canopy for power supply with 3 outputs.	
CE EHI X		(a) (b) (4) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
M7902/1	Canopy for power supply.	
CE EHI X		10,6
M7902/2	Canopy for power supply with 2 outputs.	4, 1, 1
CE EHI X		(a) (b) (4) (a) (b) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
M7902/3	Canopy for power supply with 3 outputs.	
CE EHI Z		0 0 0 0 1 4 4 1/6"

Evy

Accessories / power supply and fixing

XM8901-03	Canopy for power supply with 3 outputs.	ω, ε.
C € EHI 🗵		3, 5
		42 16 ⁵ /ş"
XM8901-05	Canopy for power supply with 5 outputs.	13.65
C E EHL Z		76 30*
XM8901-06	Canopy for power supply with 6 outputs.	0.5 E
CE EHI X		42 16 %°
XM8901-09	Canopy for power supply with 9 outputs.	3.8 8.17
C € EHL 🗵		45
XM8901-15	Canopy for power supply with 15 outputs.	1, 1, 2, 8, 8, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
CE FAL X		72.5 28 4/r
XM9001-03	Canopy for power supply with 3 outputs.	9.3
CE IIII 🗵		39.5
XM9001-07	Canopy for power supply with 7 outputs.	9,77
CE IIII X		39.5
XM9001-12	Canopy for power supply with 12 outputs.	0.8.0
C€ EHI 🗵		07 TO
XM9001-21	Canopy for power supply with 21 outputs.	
CE EHI 🗵		100 IO

Evy

Accessories / power supply and fixing

XM9201-01

Recessed canopy for electric cable suspensions. Suitable for 24V fixtures: remote driver 24V needed.





Evy

Accessories / fixing

M75D	Suspension and adjustment device for electric cable.	0	12/3"
			2.9
M800	Polycarbonate hook for suspension.	0	3,2
			2 4/5"