
Emy

220-240V AC

M10177.000.0000





Data sheet

CODE	M10177.000.0000
SYSTEM POWER CONSUMPTION	max 48W
LIGHT SOURCE	LED retrofit / halogen
LIGHT SOURCE KIT	not included
COMPATIBLE SOURCES	LED retrofit bulb G9 (L max 60mm - Ø max 17,5mm) / max 48W G9
LIGHT DISTRIBUTION	diffused
POWER SUPPLY	220-240V AC
FREQUENCY	50/60Hz
WEIGHT	0,58 Kg
PROTECTION DEGREE	IP40
PACKING DIMENSIONS	0,0 x 0,0 x 0,0 cm









Multiple suspension lighting fixture for interiors, with direct and indirect light emission. Pickled sheet metal structure in white polyacrylic paint.


 $\hbox{ Diffuser in blown glass with crystal, steel, amber, bronze, to bacco or green balloton } \\$ finish.

Turned pickled sheet metal closing disk in mat brass polyacrylic paint.

3m (118,1") long suspension and power cable in transparent PVC.

Provided without power canopy.

Technical drawing



Emy

Accessories / source

XM5/G9LED

LED lamp G9 4W 220-240V AC 3000K Ra>80 340lm, not dimmable.





Emy

Accessories / power supply

M7901/1	Canopy for power supply.	421
CE EHI X		6,01 8,0% 1,0%
M7901/2	Canopy for power supply with 2 outputs.	
CE EHI X		a 8,01 8,00 4
M7901/3	Canopy for power supply with 3 outputs.	
CE EHI X		(a) (b) (4) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
M7902/1	Canopy for power supply.	
CE EHI X		10,6
M7902/2	Canopy for power supply with 2 outputs.	4, 1, 1
CE EHI X		(a) (b) (4) (a) (b) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
M7902/3	Canopy for power supply with 3 outputs.	
CE EHI Z		0 0 0 0 1 4 4 1/6"

Emy

Accessories / power supply and fixing

XM8901-03	Canopy for power supply with 3 outputs.	& & & & & & & & & & & & & & & & & & &
C € EHI <u>X</u>		42 16 5/9"
XM8901-05 C € EHL	Canopy for power supply with 5 outputs.	9 9 6 76 76 76 30°
XM8901-06 C € EHL	Canopy for power supply with 6 outputs.	2 8 5 10 10 10 10 10 10 10 10 10 10 10 10 10
XM8901-09 C€ [HI] <u>X</u>	Canopy for power supply with 9 outputs.	90 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
XM8901-15 C € EHL 🗵	Canopy for power supply with 15 outputs.	2 1/4 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
XM9001-03 C € [EHI] 🗵	Canopy for power supply with 3 outputs.	39,5
XM9001-07 C € [EHI] 🗵	Canopy for power supply with 7 outputs.	39.5 15 4/7" 11/2"
XM9001-12 C € EHI 🗵	Canopy for power supply with 12 outputs.	27.45 3.9 3.9 3.10 3.9
XM9001-21 C € [EHI] <u>X</u>	Canopy for power supply with 21 outputs.	9 8 W. 1 W. 2

Emy

Accessories / power supply and fixing

XM9201-01

Recessed canopy for electric cable suspensions. Suitable for 24V fixtures: remote driver 24V needed.





Emy

Accessories / fixing

M75D C € EHL Z	Suspension and adjustment device for electric cable.	4.2
		2.9
M800 C € EHI <u>X</u>	Polycarbonate hook for suspension.	3.2
		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2