

Avenue 4






IP65 - LED (lantern)
IP44 - E27 (IP65 version on request)
Class 1

Aluminium
Opal or clear structured PMMA diffusers for IP65 lanterns
Opal or clear PMMA diffusers for IP44 lanterns


SOURCES

LED 35W - 3000K warm white
LED 35W - 4000K neutral white
LED 70W - 3000K warm white
LED 70W - 4000K neutral white
E27 - 105W max H280 mm max (except model 2)
Ø80 mm - H160 mm max (model 2)


E27 SHP & E40 SHP on request
Asymmetric and dimmable LED module on request




H 749 mm
W 364 mm



Models 1 to 9 except 2



Model 2




Models 1 to 9 except 2


LED 35W - IP65 Real light output/opal - 2693 lm Real light output/clear - 2676 lm CRI > 80	LED 35W - IP65 Real light output/opal - 2596 lm Real light output/clear - 2229 lm CRI > 80	LED 70W - IP65 Real light output/opal - 5868 lm Real light output/clear - 5791 lm CRI > 80
---	---	---

MODELS

height/width/depth



1 1396/364
2 657/365/188
3 1093/364/893
4 1204/364/734
5 1397/364/842



6 1004/364
8 4588/400
9 4321/1562/400

REFERENCES

Replace ●●● with the colour code or material code

E27 source

MODELS	DIFFUSERS	E27	IP44 SPARE DIFFUSERS
1	CLEAR PMMA	104 001 ●●●	165 007 605
	OPAL PMMA	104 018 ●●●	165 007 606
2	OPAL PMMA	104 040 ●●●	165 006 606
3	CLEAR PMMA	104 045 ●●●	165 008 605
	OPAL PMMA	104 062 ●●●	165 008 606
4	CLEAR PMMA	104 079 ●●●	165 008 605
	OPAL PMMA	104 096 ●●●	165 008 606
5	CLEAR PMMA	104 113 ●●●	165 007 605
	OPAL PMMA	104 130 ●●●	165 007 606
6	CLEAR PMMA	104 215 ●●●	165 008 605
	OPAL PMMA	104 232 ●●●	165 008 606
8	CLEAR PMMA	104 147 ●●●	165 008 605
	OPAL PMMA	104 164 ●●●	165 008 606
9	CLEAR PMMA	104 181 ●●●	165 008 605
	OPAL PMMA	104 198 ●●●	165 008 606

LED source

MODELS	DIFFUSERS	LED 35W 3000K warm white	LED 35W 4000K neutral white	LED 70W 3000K warm white	LED 70W 4000K neutral white	IP65 SPARE DIFFUSERS
1	CLEAR STRUCTURED PMMA	104 010 ●●●	104 012 ●●●	104 011 ●●●	104 013 ●●●	165 009 608
	OPAL PMMA	104 027 ●●●	104 029 ●●●	104 028 ●●●	104 030 ●●●	165 010 608
	OPAL PMMA	104 041 ●●●	104 042 ●●●			
2						
3	CLEAR STRUCTURED PMMA	104 054 ●●●	104 056 ●●●	104 055 ●●●	104 057 ●●●	165 010 608
	OPAL PMMA	104 071 ●●●	104 073 ●●●	104 072 ●●●	104 074 ●●●	165 010 606
4	CLEAR STRUCTURED PMMA	104 088 ●●●	104 090 ●●●	104 089 ●●●	104 091 ●●●	165 010 608
	OPAL PMMA	104 105 ●●●	104 107 ●●●	104 106 ●●●	104 108 ●●●	165 010 606
5	CLEAR STRUCTURED PMMA	104 122 ●●●	104 124 ●●●	104 123 ●●●	104 125 ●●●	165 009 608
	OPAL PMMA	104 139 ●●●	104 141 ●●●	104 140 ●●●	104 142 ●●●	165 009 606
6	CLEAR STRUCTURED PMMA	104 224 ●●●	104 226 ●●●	104 225 ●●●	104 227 ●●●	165 010 608
	OPAL PMMA	104 241 ●●●	104 243 ●●●	104 242 ●●●	104 244 ●●●	165 010 606
8	CLEAR STRUCTURED PMMA	104 156 ●●●	104 158 ●●●	104 157 ●●●	104 159 ●●●	165 010 608
	OPAL PMMA	104 173 ●●●	104 175 ●●●	104 174 ●●●	104 176 ●●●	165 010 606
9	CLEAR STRUCTURED PMMA	104 190 ●●●	104 192 ●●●	104 191 ●●●	104 193 ●●●	165 010 608
	OPAL PMMA	104 207 ●●●	104 209 ●●●	104 208 ●●●	104 210 ●●●	165 010 606

COLOURS CODES

Replace ●●● with the colour code

RAL 9005 JET BLACK 000
GREEN PATINA 008
GOLD PATINA 009

Other colours on request

MOUNTING

Wiring entry points in grey - Fixing kit included (only for model 2) - Anchor bolts on request (models 6, 8, 9) p. 318

