


## Louis XIII







# Louis XIII

IP44  
Class 1

Aluminium or tinted lacquered brass  
Clear glass diffuser  
Opal PMMA diffuser on request


## SOURCES

LED 13W - 3000K warm white  
E27 - 105W max H 220 mm max (except model 2)  
Ø66 mm - H 200 mm max (model 2)




Models 1 to 9 except 2

LED 13W - IP65  
Real light output - 361 lm  
CRI > 80




Model 2

LED 13W - IP65  
Real light output - 473 lm  
CRI > 80




Models 1 to 3

E27 (2450 lm)  
Real light output - 1220 lm



Models 4 to 9

E27 (2450 lm)  
Real light output - 987 lm




Model 2

E27 (1520 lm)  
Real light output - 729 lm

## MODELS

height / width / depth



## REFERENCES

Replace **•••** with the colour code or material code

MODELS	E27	LED 13W 3000K warm white	CORNER PLATES p.319	SPARE DIFFUSERS
1	130 001 •••	130 002 •••		165 034 609
2	130 003 •••	130 004 •••		165 034 609
3	130 005 •••	130 006 •••	147 003 •••	165 034 609
4	130 007 •••	130 008 •••	147 001 •••	165 034 609
5	130 009 •••	130 010 •••		165 034 609
6	130 011 •••	130 012 •••		165 034 609
7	130 013 •••	130 014 •••		165 034 609
8	130 015 •••	130 016 •••		165 034 609
9	130 017 •••	130 018 •••		165 034 609

## COLOURS CODES

Replace **•••** with the colour code

	RAL 9005 JET BLACK	000
	OLD RUSTIC	046
	GREEN PATINA	008
	GOLD PATINA	009

Other colours on request

## MATERIAL CODE

TINTED LACQUERED BRASS 070 (Black aluminium base)

## MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (MODELS 6, 7) p. 318

