

## Avenue 2







# Avenue 2

IP44  
Class 1


Aluminium or tinted lacquered brass  
Clear glass or opal PMMA diffuser

## SOURCES


LED 13W - 3000K warm white  
E27 - 105W max H200 mm max (except model 3)  
Ø66 mm - H200 mm max (model 3)  
E27 SHP & IM on request




Model 1 to 11 except 3  
LED 13W - IP65 module  
Real light output/opal - 384 lm  
Real light output/clear - 413 lm  
CRI > 80




Model 3  
LED 13W - IP65 module  
Real light output - 477 lm  
CRI > 80



Models 1, 2, 4, 8  
E27 (2450 lm)  
Real light output - 653 lm




Models 5, 6, 7, 9, 11  
E27 (2450 lm)  
Real light output - 1463 lm



Model 3  
E27 (1520 lm)  
Real light output - 771 lm

## MODELS

height/width/depth



## REFERENCES

Replace ●●● with the colour code or material code

MODELS	DIFFUSERS	E27	LED 13W 3000K warm white	CORNER PLATES p.319	SPARE DIFFUSERS
1	CLEAR GLASS	102 001 ●●●	102 002 ●●●		165 003 609
	OPAL PMMA		102 003 ●●●		165 003 606
2	CLEAR GLASS	102 004 ●●●	102 005 ●●●	147 001 ●●●	165 003 609
	OPAL PMMA		102 006 ●●●		165 003 606
3	CLEAR GLASS	102 007 ●●●	102 008 ●●●		165 002 609
4	CLEAR GLASS	102 010 ●●●	102 011 ●●●	147 004 ●●●	165 003 609
	OPAL PMMA		102 012 ●●●		165 003 606
5	CLEAR GLASS	102 013 ●●●	102 014 ●●●		165 003 609
	OPAL PMMA		102 015 ●●●		165 003 606
6	CLEAR GLASS	102 016 ●●●	102 017 ●●●		165 003 609
	OPAL PMMA		102 018 ●●●		165 003 606
7	CLEAR GLASS	102 019 ●●●	102 020 ●●●	147 004 ●●●	165 003 609
	OPAL PMMA		102 021 ●●●		165 003 606
8	CLEAR GLASS	102 022 ●●●	102 023 ●●●		165 003 609
	OPAL PMMA		102 024 ●●●		165 003 606
9	CLEAR GLASS	102 025 ●●●	102 026 ●●●		165 003 609
	OPAL PMMA		102 027 ●●●		165 003 606
11	CLEAR GLASS	102 028 ●●●	102 029 ●●●		165 003 609
	OPAL PMMA		102 030 ●●●		165 003 606

## COLOURS CODES

Replace ●●● with the colour code

	RAL 9005 JET BLACK	000
	RAL 6009 BRITISH GREEN	019
	RAL 6009 FIR GREEN	067
	GREEN PATINA	008
	GOLD PATINA	009

Other colours on request

## MATERIAL CODE

TINTED LACQUERED BRASS 70 (Black aluminium base)

## MOUNTING

Wiring entry points in grey - Fixing kit included - Anchor bolts on request (model 11) p. 318

