

The Collection **6.0**



inverlight[®]
STAINLESS LIGHTING SOLUTIONS

Yuuki 13 ceiling




LED lens
6° 25° 35°

Yuuki 13 kvadrat ceiling



LED lens
6° 25° 35°



 GX53 \ 1 x T2 7/9W \ 220-240V
22031


LED 3000K \ 4.2W \ 400lm \
220-240V

10° **22034.001**

25° **22034.002**

35° **22034.003**

LED 4000K + 4K

 GX53 \ 1 x T2 7/9W \ 220-240V
22831


LED 3000K \ 4.2W \ 400lm \
220-240V

10° **21834.001**

25° **21834.002**

35° **21834.003**

LED 4000K + 4K





Body completely made of stainless steel Aisi 316.
Transparent glass diffuser.
Driver included.

Corps complètement réalisé en acier inoxydable.
Diffuseur en verre transparent.
Alimentateur compris.


Corpo total inox Aisi 316.
Diffusore in vetro trasparente.
Alimentatore incluso.


Yuuki 24 ceiling / **NEW**

Body completely made of stainless steel Aisi 316.
Sand-blasted polycarbonate diffuser.
LED 3000 and 4000 K with driver included.

Corps complètement réalisé en acier inoxydable.
Diffuseur en polycarbonate sablé.
LED 3000 et 4000K avec alimentateur compris.


Corpo total inox Aisi 316.
Diffusore in policarbonato sabbato.
LED 3000 e 4000 K con alimentatore incluso.



 GX24q3 \ 1xTC-E \ 26W \
1800lm \ 220-240V \ h 135 mm
21931

LED 3000K \ 15,3W \ 2180lm \
220-240V \ h 75 mm
21940

LED 4000K + **4K**




Yuuki 24 ceiling kvadrat

Body completely made of stainless steel Aisi 316. Sand-blasted polycarbonate diffuser. LED 3000 and 4000 K with driver included.

Corps complètement réalisé en acier inoxydable. Diffuseur en polycarbonate sablé. LED 3000 et 4000K avec alimentateur compris.


Corpo total inox Aisi 316. Diffusore in policarbonato sabbiato. LED 3000 e 4000 K con alimentatore incluso.



 GX24q3 \ 1xTC-E \ 26W \ 1800lm \ 220-240V \ h 135 mm
21941

LED 3000K \ 15,3W \ 2180lm \ 220-240V \ h 75 mm
21944

LED 4000K + 4K



Yuuki 40 ceiling / **NEW**



CE IP 64 IK 08



LED 3000K \ 29.2W \ 3750lm \
220-240V
24100

LED 3000K \ 18.3W \ 2600lm \
220-240V
24102

LED 4000K + **4K**

Yuuki 40 ceiling spacer / **NEW**



CE IP 64 IK 08



LED 3000K \ 29.2W \ 3750lm \
220-240V
24101



LED 3000K \ 18.3W \ 2600lm \
220-240V
24103

LED 4000K + **4K**

Body completely made of stainless steel Aisi 316.
Sand-blasted polycarbonate diffuser.
LED 3000 and 4000 K with driver included.

Corps complètement réalisé en acier inoxydable.
Diffuseur en polycarbonate sablé.
LED 3000 et 4000K avec alimentateur compris.

Corpo total inox Aisi 316.
Diffusore in policarbonato sabbaiato.
LED 3000 e 4000 K con alimentatore incluso







via P. Stucchi, 2 \ 20872 Cornate d'Adda (MB) Italy
tel. +39 039 6060754 \ Fax +39 039 6887843
www.inverlight.it \ info@inverlight.it