

Newpark






IP44
Class 1

Aluminium
Clear or frosted glass diffuser

SOURCE

E27 - 105W max Ø66 mm - H120 mm max



H 329 mm
W 251 mm
D 340 mm

MODELS

height / width / depth



329 / 251 / 340
1




328 / 251 / 280
2




316 / 251
3




571 / 251
4



851 / 251
5



2358 / 664 / 251
6



2238 / 908 / 251
7



REFERENCES

Replace ●●● with the colour code / replace (●) with the country's electrical socket code

MODELS	DIFFUSERS	E27	SOCKET	CORNER PLATE p.319	SPARE DIFFUSERS
1	CLEAR GLASS	141 001 ●●●			165 035 609
	FROSTED GLASS	141 002 ●●●		147 002 ●●●	165 035 610
2	CLEAR GLASS	141 003 ●●●			165 035 609
	FROSTED GLASS	141 004 ●●●		147 002 ●●●	165 035 610
3	CLEAR GLASS	141 005 ●●●			165 035 609
	FROSTED GLASS	141 006 ●●●			165 035 610
4	CLEAR GLASS	141 007 ●●●			165 035 609
	FROSTED GLASS	141 008 ●●●			165 035 610
5	CLEAR GLASS	141 009 ●●●	141 010 ●●● (●)		165 035 609
	FROSTED GLASS	141 011 ●●●	141 012 ●●● (●)		165 035 610
6	CLEAR GLASS	141 013 ●●●			165 035 609
	FROSTED GLASS	141 014 ●●●			165 035 610
7	CLEAR GLASS	141 015 ●●●			165 035 609
	FROSTED GLASS	141 016 ●●●			165 035 610

COLOURS CODES

Replace ●●● with the colour code ↓

	RAL 9005 JET BLACK	000
	SLATE GREY	059
	METAL GREY	023
	WHITE	001
	BLUE	111
	RAL 5011 STEEL BLUE	065
	RAL 6009 BRITISH GREEN	019
	RAL 6009 FIR GREEN	067
	RAL 3005 WINE RED	066

Other colours on request

SOCKETS CODES

Except for French socket, replace (●) with country's socket code ↓

	SCHUKO SOCKET SK	SWISS SOCKET CH
	type F	type J

MOUNTING

Wiring entry points in grey - Fixing kit included

