

Freedom

Massimiliano Raggi



FREEDOM



Freedom riproduce la forma di una gabbietta. “Freedom” in inglese significa libertà e il suo segno di riconoscimento è costituito da un uccellino metallico posto grazie ad una calamita al di fuori della gabbietta stessa, proprio ad indicare la libertà da ogni costrizione. Lampada da esterno IP65, è disponibile nella versione cablata o a batteria. Completa l’offerta una serie di accessori laccati neri che ampliano le possibilità di utilizzo della lampada Freedom.

Freedom reproduces the shape of a cage. Its sign of recognition consists of a metallic bird placed outside the cage with a magnet, in order to symbolize freedom from any constraint. An IP65 outdoor lamp, it is available in the wired or battery version. The offer is completed by a series of black lacquered accessories which expand the possibilities of using the lamp.

SPECIFICHE PRODOTTO / PRODUCT SPECIFICS

p.2

FREEDOM OUTDOOR

p.4

FREEDOM OUTDOOR BATTERY

p.5

PIASTRA DA TERRA / **GROUND PLATE**

p.6

GANCIO PER PIANTANA / **HOOK FOR FLOOR**

p.7

GANCIO DA PARETE / **HOOK FOR WALL**

p.8

STRUTTURA / FRAME

Gabbia in metallo verniciato bronzo
Cage in bronze painted metal




Base in legno marino marrone scuro
con trattamento cataforesi
*Dark brown marine wood with
waterproof treatment for the base*

DIFFUSORE / DIFFUSER


Vetroresina crema
Cream-coloured fiberglass

ACCESSORI / ACCESSORIES


Piastra da terra
Ground plate



Gancio per piantana
Hook for floor



Gancio da parete
Hook for wall

**ISTRUZIONI PER L'USO****VERSIONE CABLATA**

fornita solo con connettore IP68. In caso di collegamento con spina, il grado di protezione passa da IP65 a IP44.

VERSIONE BATTERIA

La luce lampeggiante all'interno della lampada indica che la lampada è completamente scarica.

Collegare la spina all'impianto elettrico per caricare la lampada e/o il corpo batteria. Controllare che lo spinotto sia inserito correttamente nella presa.

Lasciare in carica per circa 4 ore (12 ore al primo utilizzo) con la lampada SPENTA.

Se si prevede di non utilizzare la lampada per un lungo tempo è **NECESSARIO** effettuare un ciclo di carica completo prima di riporla per evitare che la batteria si danneggi in quanto dotata di sistema di autoconsumo in mancanza di utilizzo. Al riutilizzo si dovrà procedere con una nuova ricarica della batteria (12 ore) prima dell'accensione.

INSTRUCTIONS FOR USE**WIRED VERSION**

supplied only with IP68 connector. In case of connection with a plug, the degree of protection changes from IP65 to IP44.

BATTERY VERSION

The flashing light inside the lamp indicates that the battery is completely discharged.

Connect the plug to the electrical system to charge the lamp and/or the battery body.

Check that the plug is inserted correctly into the socket.

Leave to charge for about 4 hours (12 hours for first use) with the lamp OFF.

If you do not plan to use the lamp for a long time, it **MUST** be completely charged before storing it; this prevents damage to the battery, as it is equipped with a self-consumption system in the absence of use. When re-used, the battery must be recharged again (for 12 hours) before switching on.

CAVO / CABLE

Cavo nero
Black cable

Fornito con connettore da esterno IP68
IP68 outdoor connector

L: 2000 mm
L: 78.7"

**FONTE LUMINOSA / LIGHT SOURCE****220-240V**

Versione CABLATA
WIRED version



E27 LED

1 x 10W E27
Lampadina LED
LED light bulb
IP65

Compatibile con sistemi di controllo remoto in caso di utilizzo di lampadine LED dimmerabili

Compatible with remote control systems when dimmable LED bulbs are used



Versione BATTERIA
BATTERY version



LED module

1 x 3W
LED module
Emissione / Light emission: 400 Lm
2.700 K; CRI: >90
IP65

Autonomia: 6/8 ore
Cicli di vita: 600
Tempi di ricarica: 4 ore
Caricabatterie comprensivo di alimentatore fornito

Autonomy: 6/8 hours
Lifestyle cycles: 600
Charging time: about 4 hours
Supplied with battery charger



CE

 Freedom Outdoor

110V

WIRED version



E26 LED

1 x 10W E26
LED light bulb
IP65

Compatible with remote control systems when dimmable LED bulbs are used



BATTERY version





LED module

1 x 3W
LED module
Light emission: 400 Lm
2.700 K; CRI: >90
IP65

Autonomy: 6/8 hours
Lifestyle cycles: 600
Charging time: about 4 hours
Supplied with battery charge





PRODOTTO / PRODUCT **IMBALLI / PACKAGING**

Peso-Weight

4 kg / 8.8 lbs


Box 1

L: 400 mm / 15.8"

P-W: 400 mm / 15.8"

H: 600 mm / 23.6"

Peso-Weight: 5 kg / 11 lbs



PRODOTTO / PRODUCT **IMBALLI / PACKAGING**

Peso-Weight

4 kg / 8.8 lbs


Box 1

L: 400 mm / 15.8"

P-W: 400 mm / 15.8"

H: 600 mm / 23.6"

Peso-Weight: 5 kg / 11 lbs



PRODOTTO / PRODUCT **IMBALLI / PACKAGING**

Peso-Weight

1 kg / 2.2 lbs


Box 1

L: 270 mm / 10.6"

P-W: 270 mm / 10.6"




H: 290 mm / 11.4"

Peso-Weight: 1.5 kg / 3.3 lbs



PRODOTTO / PRODUCT **IMBALLI / PACKAGING**

Peso-Weight	Box 1	Box 2
14 kg / 30.9 lbs	L: 440 mm / 17.3"	L: 430 mm / 16.9"
	P-W: 230 mm / 9"	P-W: 430 mm / 16.9"
	H: 1650 mm / 64.9"	H: 170 mm / 6.7"
	Peso-WEIGHT: 6 kg / 13.2 lbs	Peso-Weight: 11 kg / 24.2 lbs



PRODOTTO / PRODUCT IMBALLI / PACKAGING

Peso-Weight

2 kg / 4.4 lbs

Box 1

L: 230 mm / 9"

P-W: 370 mm / 14.5"

H: 230 mm / 9"

Peso-Weight: 3 kg / 6.6 lbs

Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

CONTARDI LIGHTING Srl

ITALY HEADQUARTERS

www.contardi-italia.com / sales@contardi-italia.it

CONTARDI USA Inc

USA BRANCH

www.contardi-usa.com / sales@contardi-usa.com

